

harness options

FCP offers many harness options including: webbing color, padding, D-ring placements, and buckle closures. Plus, we can customize your harness to suit any specific needs. Please inquire for further details concerning customizing & custom orders. Stainless Steel adjusters, buckles & rings are also available upon request.

Option A - Shoulder pads (two pieces) 'SuperNii' technology incorporates a moisture management system with an anti-microbial coating

Option B - Hip D-rings for positioning

Option C - Quick connect bayonet buckle chest strap (chest strap only)

Option D - Shoulder D-rings

Option F - Leg pads (two pieces) 'SuperNii' technology incorporates a moisture management system with an anti-microbial coating

Option H - Front chest D-ring for positioning

Option P - Removable, washable, retrofit back & shoulder pad (one piece) 'SuperNii' technology incorporates a moisture management system with an anti-microbial coating

Option 9 - Additional back D-ring with extension strap built into harness

Buckle Options: ① Friction Buckle, ② Mating Buckle, ③ Grommet/Tongue Buckle, ④ super-quick Bayonet Buckle



ALL
FrenchCreek
Harnesses are rated to
a combined weight of
400 lbs.



harness accessories

Numerous accessories are available for FCP's harnesses. If you don't see exactly what you need, please inquire. Stainless Steel adjusters, buckles, and rings are also available.

♦♦ = Quick Ship Item

- ♦♦ **1418** - 18" x 1 3/4" D-ring extension strap with D-ring on one end & locking snap on other end, as shown.

- 1418-LOOP** - 18" x 1 3/4" D-ring extension with choke loop.

- 400R** - Lanyard retainer, 1" web loop with 2" O-ring sewn to harness, as shown.

- 400SB** - Sliding buckle cover/insulator, as shown.

- 400BC** - Flame resistant buckle covers for chest & leg, as shown. (harness not included)

- 800PS** - Removable saddle (page 9) for comfort, positioning and suspension applications, as on the 850ABT (page 10). Must be used in conjunction with a full body harness.

- 854WB** - Replacement tool belt for 800 Series harness.

- VIZ** - Removable/cleanable class II ANSI hi-visibility vest sold separately as an accessory, or added to a harness as an option (example: 850VIZ). Ultra-cool mesh vest has zipper front, inside left chest 2-tier 4-division pencil pocket, & lower inside right patch pocket. Secures to harness with 4 velcro attachment points.

- ID** - Tracker Series ID chip built into harness webbing. The RFID Tracker chip, along with the PDA-SCAN Pocket PC & Scanner, enables you to keep digital records for inventory, inspections, OSHA records, and other pertinent information! Step into the technology age! (More Tracker info on pages 5 & 16)

- ID-RETRO** - Tracker Series ID chip built into a retro-fit pack that can be attached to all of your equipment, as shown. Other methods of retrofitting are available, please inquire. (More Tracker info on pages 5 & 16)

- PDA-SCAN** - Pocket PC with patented Tracker Series Scanner & software. (More Tracker info on pages 5 & 16)



The TRACKER

Offering a full line of 'Tracker Series' Products, including Harnesses, Lanyards, & other related safety equipment.



U-STEP



1418



1418-LOOP



400R

Lanyard Retainer



400SB

Sliding Buckle Cover



400BC

FR Buckle Covers



VIZ



VIZ (Back)



ID-RETRO


(Use it to 'track' your current equipment!)

U-STEP™

To help alleviate SUSPENSION TRAUMA!

Another tool in combating Suspension Trauma! Also check out the U-RES-Q, Self-Rescue Ladder/ Lanyard (page 23).

U-STEP - The U-STEP comes complete with two compact, lightweight 'packs' that easily attach to the sides (left & right) of a full body harness. In the event of a fall, a worker can pull the webbing from the 'packs', connect the locking clasps creating an adjustable loop that the suspended worker can step on to alleviate harness pressure, and reduce the risk of suspension trauma. Must be used in conjunction with a full body harness and a complete fall prevention/rescue program. Fits most harness sizes, styles, and brands.

Step into the technology age with a ground breaking,
 **RFID tracking unit** to assist with information,
inventory, inspections, and OSHA record keeping!

The **TRACKER**

2ND GENERATION

A FULL LINE OF 'TRACKER SERIES' PRODUCTS: HARNESES, LANYARDS, & OTHER RELATED SAFETY EQUIPMENT - PATENTED



RFID system for tracking:

- Information • Inventory
- Inspections • OSHA Records

- NO internet connection required
- NO website connection required
- Self-monitoring info capabilities (no one else is handling your vital information)
- Unit is a FULLY FUNCTIONING hand held PC!
- Retro-fit any Harness, Lanyard, or other equipment (even tools) with RFID chips!

- ♦ Inspection Tracking
- ♦ Inventory Control
- ♦ Information Management

More **TRACKER** Product
info on pages 4 & 16!



Product No. ID



Product No. PDA-SCAN
(fully functioning HP iPAQ
with RFID Scanner Attachment &
'TRACKER' Software installed)

FCP's patented TRACKER technology was designed to simplify and maximize management capabilities for Construction Sites, Manufacturing Plants, Oil Rigs, and any other situation that demands permanent positive identification, tracking, and record keeping! The system will improve your companies ability to keep up-to-date records, compliance assurance, increased productivity, decreased theft, less down time during inspections, and more. The electronic paperless files can be imported into Word or Excel and emailed anywhere in the world! Get with the program, get with the FCP TRACKER!

because your life is on the line



500 series "lightweight" harnesses maintenance & light duty

Standard features include:

- adjustable shoulder, chest, waist, and leg straps
- integral 1 3/4" waist belt
- sliding back D-ring (keeps fallen worker vertical in suspension)
- light weight, high strength synthetic webbing
- most options, accessories, & color choices available

♦♦ = Quick Ship Item

530 - Full body harness with mating buckle leg straps.

♦♦ **550** - Full body harness with grommet/tongue buckle leg straps, as shown.

550B - 550 with hip positioning D-rings.

570 - Full body harness with super-quick bayonet buckles on the chest and legs.



550



550 (Back)



650



650 (Back)



650B



600 series harnesses great all-around series

Standard features include:

- adjustable shoulder, chest, and leg straps
- sub-pelvic strap for additional comfort and security
- sliding back D-ring (keeps fallen worker vertical in suspension)
- light weight, high strength synthetic webbing
- most options, accessories, & color choices available

630 - Full body harness with mating buckle leg straps.

630B - 630 with hip positioning D-rings.

650 - Full body harness with grommet/tongue buckle leg straps, as shown.

650B - 650 with hip positioning D-rings.

SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

Sizing chart for full body harnesses,
EXCEPT the 600 Lightweight Series.
(All FCP harnesses are rated to 400 lbs.)

600 series "lightweight" harnesses

great all-around, light-weight series

Standard features include:

- 3 point adjustment (chest and leg straps)
- sliding back D-ring (keeps fallen worker vertical in suspension)
- light weight, high strength synthetic webbing
- most options, accessories, & color choices available

Two universal sizes ONLY (S-M and M-XL)

♦♦ = Quick Ship Item

- ♦♦ **631** - Light weight full body harness with mating buckles, as shown.
- ♦♦ **631B** - 631 with hip positioning D-rings, as shown.
- 631D** - 631 with shoulder D-rings.
- ♦♦ **651** - Light weight full body harness with grommet/tongue buckle leg straps, as shown.
- 651B** - 651 with hip positioning D-rings.
- 651D** - 651 with shoulder D-rings.
- 671** - Light weight full body harness (yellow) with super-quick bayonet chest and leg buckles.
- 671PR** - Light weight full body harness (red) with super-quick bayonet chest and leg buckles, and a one piece comfort back & shoulder pad, as shown.



631



631B



651



651D



671PR



671PR (Back)



750D



750D (Back)

700 series harnesses

highly versatile series

Standard features include:

- use in maintenance, light construction, industrial applications, & confined space entry
- adjustable shoulder, chest, waist, and leg straps
- sliding back D-ring (keeps fallen worker vertical in suspension)
- light weight, high strength synthetic webbing
- most options, accessories, & color choices available

730 - Full body harness with mating buckle leg straps.

750 - Full body harness with grommet/tongue buckle leg straps.

750B - 750 with hip positioning D-rings.

750D - 750 with shoulder D-rings, as shown.

770 - Full body harness with super-quick bayonet buckles on the chest and legs.

750TS - 750 with front D-ring on belt for vertical climbing systems.

SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

SIZING CHART FOR FULL BODY HARNESSES
EXCEPT THE 600 LIGHTWEIGHT SERIES
(All FCP harnesses are rated to 400 lbs.)



800 series harnesses

Industrial & construction series

Standard features include:

- use in industrial and construction environments
- adjustable shoulder, chest, waist, and leg straps
- sliding back D-ring (keeps fallen worker vertical in suspension)
- removable tool belt, shoulder pads, & 6" body/back pad
- light weight, high strength synthetic webbing
- most options, accessories, & color choices available

★★ = Quick Ship Item



850AB



850AB (Back)



870BP (Back)



870BP



872



872 (Back)



830 - Full body harness with mating buckle leg straps, 6" back pad, removable tool belt.

830AB - 830 with shoulder pads and hip positioning D-rings.

850 - Full body harness with grommet/tongue buckle leg straps, 6" back pad, & removable tool belt.

850A - 850 with shoulder pads.

850B - 850 with hip positioning D-rings.

★★ **850AB** - 850 with shoulder pads and hip positioning D-rings, as shown.

870 - Full body harness with super-quick bayonet chest and leg buckles, 6" back pad, removable tool belt.

870AB - 870 with shoulder pads and hip positioning D-rings.

870BP - 870 with one piece comfort back & shoulder pad and hip positioning D-rings, as shown.

872 - Female full body harness designed to be form fitting specifically for women. Super-quick bayonet buckles on chest, waist, & legs, 4" comfort back pad, leg pads, and adjustable shoulder straps, as shown.

872B - 872 with hip positioning D-rings.

872AB - 872 with shoulder pads and hip positioning D-rings.

SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

SIZING CHART FOR FULL BODY HARNESSES

(All FCP harnesses are rated to 400 lbs.)

ALL
FrenchCreek
Harnesses are rated to
a combined weight of
400 lbs.



853AB



853AB (Back)



800PS

800 Series with Sub-pelvic Strap:

- 833** - Full body harness with mating buckle leg straps, 6" back pad, sub-pelvic strap, removable tool belt.
- 853** - Full body harness with grommet/tongue buckle leg straps, 6" back pad, removable tool belt, sub-pelvic strap.
- 853A** - 853 with shoulder pads.
- 853B** - 853 with hip positioning D-rings.
- 853AB** - 853 with shoulder pads and hip positioning D-rings, as shown.

800 Series Option:

- 800PS** - Removable saddle for comfort, positioning and suspension applications, as on the 850ABT (page 10). Must be used in conjunction with a full body harness.





800 series harnesses

tower climber series

Standard features include:

- all the necessities a tower climber would want or need
- adjustable shoulder, chest, waist, and leg straps
- sliding back D-ring (keeps fallen worker vertical in suspension)
- removable tool belt, shoulder pads, & 6" body/back pad
- light weight, high strength synthetic webbing
- most options, accessories, & color choices available

★★ = Quick Ship Item

850ABT - 850 (page 8) with shoulder pads, one accessory ring, two accessory snaps, hip positioning D-rings, and two D-rings on a removable positioning saddle for comfort, positioning and suspension applications.

850ABTH - 850ABT with front chest D-ring.

★★ **850B-TS** - 850 (page 8) with 6" back pad, hip positioning D-rings, and front center D-ring on waist belt for vertical climbing systems, as shown. Harness is a quick Ship Item in sizes: M & L.

887PBT - Full body harness with grommet/tongue buckle leg straps, one piece comfort back/shoulder pad, 6" Back Pad, removable tool belt, two accessory rings, fixed rigid positioning saddle, adjustable front center chest D-ring, and hip positioning rings, as shown.

897ABT - Full body harness with grommet/tongue buckle leg straps, 6" Back Pad, one accessory ring, two accessory snaps, removable tool belt, removable positioning saddle, adjustable front center chest D-ring, shoulder pads, and hip positioning rings, as shown.

8D150ABT - FCP's Derrick harness is designed for the oil industry and/or the worker who operates on the monkey board. Harness can be worn with or without the removable derrick belt (attaches with mating buckles), and features a 6" comfort waist belt with back D-ring and hip D-rings for positioning, seat sling with D-rings for positioning and to help reduce fatigue, shoulder pads for added comfort, and tongue buckle leg straps for easy donning, as shown.



850ABT (Back)



850ABT



850B-TS



850B-TS Front D-ring (Connected)



8D150ABT with Derrick Belt Removed



8D150ABT

SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

SIZING CHART FOR FULL BODY HARNESSES

(All FCP harnesses are rated to 400 lbs.)



887PBT



887PBT (Back)



897ABT



897ABT (Back)

ALL
FrenchCreek
Harnesses are rated to
a combined weight of
400 lbs.



900 series harnesses

crossover series

Standard features include:

- front crossover style for use in a multitude of applications
- adjustable shoulder and leg straps
- chest D-ring for positioning, suspension, and rescue
- light weight, high strength synthetic webbing
- most options, accessories, & color choices available

930 - Full body harness with back D-ring, chest D-ring, adjustable shoulder straps, and mating buckle leg straps, as shown.

930B - 930 with hip positioning D-rings.

950 - Full body harness with back D-ring, chest D-ring, adjustable shoulder straps, and grommet/tongue buckle leg straps.

950B - 950 with hip positioning D-rings.



930 (Back)



930



552



552 (Back)
Shows reflective material in dark



631LJ



631LJ (Back)



specialty series harnesses

specialty series

In many situations, a specialty harness may be necessary for assured safety. These harnesses have a sliding D-ring in the center of the back (keeps worker vertical in suspension), and so much more! Keep in mind that we can customize our designs to suit the specific needs of your job.

552 - Miner's Harness with lamp and battery straps, dual lanyard rings on each shoulder, radio loops, and 152" of reflective material for high visibility, as shown. Sizes: S,M,L,XL.

631LJ - 631 (page 7) with built in life jacket, as shown. Life jacket comes in universal size: S-XXL



SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

SIZING CHART FOR FULL BODY HARNESSES

(All FCP harnesses are rated to 400 lbs.)

welding series harnesses & lanyards

welding series

Look no further than FrenchCreek for the best in Welding Harnesses and Lanyards! The following products are standard items in the welding line, but since FCP is a Custom Manufacturer, we can make ANY style harness or lanyard out of heat & flame resistant Kevlar® webbing! (Kevlar® webbing is available in Black only) Standard harness sizing applies.

Welding Harnesses:

530-HOT - 530 (page 6) with heat & flame resistant Kevlar® webbing.

530B-HOT - 530-HOT with hip positioning D-rings.

631-HOT - 631 (page 7) with heat & flame resistant Kevlar® webbing, as shown.

631B-HOT - 631-HOT w/ hip positioning D-rings.

Welding Harness Accessories:

400SC-FR - Retrofit flame resistant shoulder & chest strap covers, as shown. Will fit most harnesses and are wide enough to cover shoulder pads. (harness not included)

Welding Lanyards:

480AK - 480A (page 20) with heat resistant Kevlar® Shock Absorber.

490AK - 490A (page 17) with heat resistant Kevlar® webbing.



530-HOT



631-HOT



400SC-FR
(harness not included)



480AK



490AK



630UT (Back)



630UT



631KUT



631KUT (Back)

utility series harnesses & lanyards

utility industry series

FCP offers some great Harnesses and Lanyards for use in the Utility Industry! The following products are standard items in the Utility line, but since FCP is a Custom Manufacturer, we can make ANY style harness or lanyard suit your needs! Standard harness sizing applies.

Utility Harnesses:

630UT - Utility Harness with no metal above the waist, buckle insulators, and sliding back web loop, as shown.

631KUT - Arc Flash Harness made of heat and flame resistant Kevlar® webbing, featuring a die electric sliding back D-ring (black), along with flame resistant buckle covers, as shown. (Kevlar® webbing is available in Black only)

Utility Lanyards:

347AS-135A - 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack, web loop on shock pack end to choke to attachment point on harness, #135A aluminum snaps (2 1/2" opening) other ends, as shown.

355AZ - 355A Lanyard (page 17) with a 'Z SERIES' compatible snap hook (page 26), as shown.



347AS-135A



355AZ



4000 series tree saddles

arborist series

The 4000 Series offers only the best in Tree Saddles. These saddles are for arborists only! **FCP does not approve Tree Saddles to be used as Standard Fall Protection.**

4000 - Tree Saddle with 5" body pad and hip D-rings, padded lower positioning strap with D-rings, removable tool belt, no leg straps, as shown.

4050 - 4000 with grommet/tongue buckle leg straps, as shown.

4051 - Tree Saddle with 5" body pad, padded lower positioning strap with D-rings, removable tool belt, and grommet/tongue buckle leg straps.

4052 - Tree Saddle with 5" body pad, padded lower positioning strap with D-rings, non-removable tool belt, and grommet/tongue buckle leg straps.

4055 - Tree Saddle with 5" body pad, hip D-rings, removable tool belt, floating front D-ring, and grommet/tongue buckle leg straps, as shown.

SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

SIZING CHART FOR SADDLES & WORK SEATS
(All FCP harnesses, saddles, and seats are rated to 400 lbs.)



4000

4000 (Back)



4055 (Back)

4055



4050

4050 (Back)

ALL
FrenchCreek
Saddles are rated to
a combined weight of
400 lbs.

4000 WORK SEATS SERIES

WORK SEAT SERIES

4000 series work seats

work seat series

Other options are also available, such as the 800PS, 850AB, 850ABT, 850ABTH, 897ABT full body harnesses on pages 8, 9, 10 & 11. ♦♦ = Quick Ship Item

- ♦♦ **4151** - Deluxe work seat, 21"x16", built-in harness with spreader bar and yoke, as shown.
- 4153** - Deluxe work seat, 21"x16" (does not include harness), must be used in conjunction with a full body harness, as shown.
- ♦♦ **4154** - Work seat, 12"x24", built-in harness with spreader bar and yoke, as shown.
- 4754** - Work Seat 12"x24", built-in harness with tongue buckle leg straps and removable waist belt.

SIZE	XS	S	M	L	XL	XXL	XXXL
WAIST	28-36	32-40	36-44	40-48	44-52	48-56	52-60

SIZING CHART FOR SADDLES & WORK SEATS
(All FCP harnesses, saddles, and seats are rated to 400 lbs.)



4151 (Back)

4151

ALL
FrenchCreek
Work Seats are rated to
a combined weight of
400 lbs.



4153



4154



4754

harness combo's & kits

FCP offers a wide variety of harness/lanyard combinations and ready-to-go job specific kits. We can combine any harness and lanyard (including extended free fall lanyards) with a bag or pouch that will suit your specific needs. Please inquire for further details or to create your own custom kit. ♦♦ = Quick Ship Item

One-piece Harness/Lanyard Combos:

FCP Harness/Lanyard Combos feature lanyards that are stitched directly to the harness, eliminating the need for connecting hardware! With too many possibilities to list, please contact us for specific recommendations, or for numerous options available.

Compliance Kit:

- ♦♦ **631-KIT** - FCP's ready-to-go compliance kit featuring a 631 full body harness (page 7) sizes M-XL, 490A lanyard (page 17), 208Z bag (page 44), as shown.



SELF
RESCUE
LADDER!



R-RETRO
(Use it inline with your current lanyard!)



ID-RETRO
(Use it to 'track' your current equipment!)



lanyard options & accessories

FrenchCreek offers many available options when ordering lanyards: from custom lengths to a wide variety of snap hooks. We also offer the following options/accessories to keep you safe, give you peace of mind, and facilitate all of your on-the-job duties!

Choke-Loop - Two options are available for shock absorbing lanyards to Choke to a harness back D-ring. Please inquire for more information or specific part #'s.

- ① Pack-style with looped end, as shown.
- ② Internal shock absorber with looped end, as shown.

353 - Shock absorber with D-ring one end, snap on the the other end, as shown.

DT - All 'pack-style' lanyards can be made for extended free-fall by adding DT to the end of the part #.

EXT - Additional D-ring added to the lanyard providing a secondary in-line attachment point for an SRL or other connecting device, as shown. Add 'EXT' to any lanyard part #.

R - The U-RES-Q Ladder Pouch can be placed on many lanyards by adding R to the end of the part #. Please inquire for specific possibilities.

R-RETRO - U-RES-Q Pouch containing 16' auto-ejecting ladder. Use in-line with lanyard and anchor point, providing means for self-rescue, or stand on the ladder to relieve harness tension! #74N locking snap on one end, D-ring on the other end. (More info on page 23)

ID - Tracker Series ID chip built into lanyard webbing, as shown. The RFID Tracker chip, along with the PDA-SCAN Pocket PC & Scanner, enables you to keep digital records for inventory, inspections, OSHA records, and other pertinent information! Step into the technology age! (More Tracker info on pages 4 & 5)

ID-RETRO - Tracker Series ID chip built into a retro-fit pack that can be attached to all of your equipment, as shown. Other methods of retrofitting are available, please inquire. (More Tracker info on pages 4 & 5)

PDA-SCAN - Pocket PC with patented Tracker Series Scanner & software, as shown. (More Tracker info on pages 4 & 5)



The TRACKER

Offering a full line of 'Tracker Series' Products, including Harnesses, Lanyards, & other related safety equipment.